

Inspection Date	4/29/2004
Time Start	12:55 PM
Timo Einich	2:00 PM

# HAZARDOUS WASTE INSPECTION REPORT GENERATOR GENERATOR GENERATOR

Company name _ C. M	.S. GILBRETH	I.D. Number _ PAP 981103617
Site Address 3001	STATE ROAD	CROY PON
	Municipality BRISTOL	TOWNSHIP Zip 19021
Name of Inspector AL	ex Page	·
	ole Official JOEL SPADE - Ex	
Person Interviewed	EL SPADE	
Mailing Address (if differer	nt from above)	
Amount of Hazardous Was	ste Generated per Month: 9000	_ Pounds Kgs
1. Site Characterization		
STORAGE: XCon	tainer 🔲 Tanks 🔲 Containment Bldg. 🛭	Drip Pad Other
PBR: Neu	tralization/WWTP	Other
GENERATOR TREAT	MENT Containers Tanks	☐ Containment Bldg. ☐ Drip Pad
2. Universal Waste:	Large Quantity Handler	ntity Handler
Universal Waste 7	ypes	
3. Hazardous Waste Tra	insporters:	
Transporter Name	HMHTTC RESPONSE, INC	License Number PA AHO554
Transporter Name		License Number
Transporter Name	·	License Number
4. Types of hazardous	waste generated and destination facility (I	ocation & type).
Waste Code	Waste Description	Destination Facility
0001, F003	WASTE PRINTING INK	HUKILL CHEMICAL CO.
	WASTE FLAMMABLE LIQUI	DS 7013 KRICK ROAD
		BEPFORP, OHIO 44146
	<u> </u>	
	<del> </del>	
	· .	

### HAZARDOUS WASTE INSPECTION REPORT **GENERATORS -- SMALL QUANTITY GENERATORS**

Site Name CMS GILBRETH ID Number PAD 98 1103 C17 Date 4/29/2004

1 - No Violation Observed 2 - Not Applicable 3 - Not Determined

4 - Non Compliance

#### **STATUS**

1	1 2 3 4		4	REQUIREMENT	PA CIT. 25 PA Code	FED. CIT. 40 CFR	LINE NO.
×				Hazardous waste determination performed on all waste streams	262a.10	262.11	H001
X				Identification Number	262a.10	262.12	H002
×				Authorized transporters only	262a.10	262.12(c)	H003
X		_		Subsequent notification requirements met	262a.12(b)		H004
X				Proper manifest used	262a.10	262.21	H005
X				Manifests filled out correctly and completely	262a.20		H006
×				Manifests signed and routed properly	262a.23(a)	262.23	H007
X				Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
	×			SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
	X			SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
X				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
X				Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
X				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
X				Specified records retained for three years	262a.10	262.40(c)	H014
X		ь		Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
X				Exception reporting procedures followed	262a.42	262.42	H016
X				Spill reporting procedures followed	262a.10	262.34(d)	H017
X				PPC plan developed and implemented	262a.10	262.34(a)	H018
×				Special requirements followed for international shipments	262a.10	262.50 262.60	H019
x				Source reduction strategy prepared and available (LQG only)	262a.100		H020
X				Excluded waste complies with exclusionary requirements	261a.4	261.4	H021
		-					
		L					

### HAZARDOUS WASTE INSPECTION REPORT **GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS**

Site Name CNS GILBRETH ID Number PAD 981 103617 Date 4/29/2004

1 - No Violation Observed 2 - Not Applicable

3 - Not Determined

4 - Non Compliance

STATUS	

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.
				CONTAINERS (Subchapter I)			
×				Containers managed in compliance with 40 CFR Part 265 Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
X				Containers of hazardous waste in good condition	265a.1	265.171	H026
X				Containers and stored waste compatible	265a.1	265.172	H027
X				Containers kept closed except during addition or removal of wastes	265a.1	265.173(a)	H028
X				Containers managed to prevent leaks	265a.1	265.173(b)	H029
X				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
X				Container storage areas inspected at least weekly	265a.1	265.174	H031
×				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
X				Proper containment and collection systems in place	265a.179		H033
X				Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
×				Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
X				Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
×				Containers labeled accurately identify contents	SWMA 6018.403(b) (2)		H037

### HAZARDOUS WASTE INSPECTION REPORT **GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS**

Site Name CHS GILBRETH ID Number PAP 981103617 Date 4/29/2004

1 - No Violation Observed 2 - Not Applicable 3 - Not Determined 4 - Non Compliance

S.	TΑ	T	П	2
•			u	v

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
	X			Containment Buildings (Subchapter T)			
				Building completely enclosed to prevent exposure to the elements	265a.1	265.1101(a)(1)	H061
	٧			Meets special requirements if liquids present	265a.1	265.1101(b)	H062
				Primary barrier free of significant gaps, cracks and deterioration	265a.1	265.1101(c)(1) (i)	H063
			,	Level of hazardous waste within unit is below containment walls	265a.1	265.1101(c)(1) (ii)	H064
				Tracking of waste out of unit by equipment or personnel prevented	265a.1	265.1101(c)(1) (iii)	H065
				No visible dust emissions at doors, windows, vents, etc.	265a.1	265.1101(c)(1) (iv)	H066
				Professional engineer's certification placed in operating record	265a.1	265.1101(c)(2)	H067
				Required inspections performed and logged in operating record	265a.1	265.1101(c)(4)	H068
				, , , , , , , , , , , , , , , , , , , ,			-
	X		Ŀ	Drip Pads (Subchapter S)			ļ.
				Engineer's certification of existing drip pads on file	265a.1	265.441(a)	H069
	V		L	Drip pad meets 265.443 design & operating standards	265a.1	265.443	H070
				(a) nonearthen, sloped construction with berm to channel associated drippage to collection system	265a.1	265.443(a)	H071
	,			(b) Has synthetic liner below the pad with properly constructed leak detection system	265a.1	265.443(b)	H072
				Drip pads & collection system maintained to prevent deterioration	265a.1	265.443(c)	H073
				Drip pads & collection systems designed to prevent run-off	265a.1	265.443(d)	H074
				Run-on/run-off control system maintained unless pad protected by a structure	265a.1	265.443(e)	H075
				Release reporting requirements met	265a.1	265.443(m)	H076
				Drip pads inspected weekly and after storms when in operation	265a.1	265.444(b)	H077


### **INSPECTION REPORT COMMENTS**

Date of Inspection 4/29/2004 Identification	ation Number PAD 98	1103617
Company/Facility/Site Name C M S GIL BRETH	·.	,
INSPECTION CONPUCTED BY ALEX	PAGE. JOEL	STADE
ENGR. + MAINT. MGR. WAS THE	FACILITY GUID	E. CHS
GILBRETH IS A MANUFACTURER OF	•	
USING THE FLEXOGRAPHIC OR ROTE	GRAVURE PR	MTING
PROCESS. CMS GUBRETH EMP	LOYS ABOUT	- 81 PEOP
WHO WORK I SHIFT. SECURITY	IS PROVIDED	BY AN
ALARM SYSTEM AND FENCED-IN	YARD WITH	GATED
ACCESS.		
AT THE HAZARPOUS WASTE S	TORAGE AREA	, DRUMS
OF HAZ. WASTE APPEARED PROPE	,	<u> </u>
STORED IN GOOD CONTAINMENT.		
MANIFESTS AND THE PPC P	LAN WERE	AVAILABLE
AND APPEARED PROPERLY COMPLE		
A COPY OF A TYPICAL MA		NCLUPE
WITH THIS REPORT.		
NO VIOLATIONS OBSERVED		
This inspection report is notice of the findings of an inspection conductor report is formal notification of any violations observed during the inspection, concerning either violations noted herein, or other violations identified as	Additional notification of viola	ations may be issued
Department records.  This report does not constitute an order or other appealable action of		ontained herein shall
be deemed to grant or imply immunity from legal action for any violation noted Signature by the person interviewed does not necessarily imply concu- acknowledge that the person was shown the report or that a copy was left w	urrence with the findings on	this report; but does
Person interviewed (signature)		
Inspector (signature)		
		Page 6 of 7

Harrisburg, PA 17105-8550
OFFICIAL PENNSYLVANIA MANIFEST FORM

: 0111	app	noveu.
OMB	No.	2050-00

		Manifest ocument No.	2. Page of	Information wit not required by required by Sta	Federal	old red border is law but may be		
	3. Generator's Name and Mailing Address CMS Gilbroth Packaging Systems Attn: Joel Spade		A. State Manifest Document Number PAH 091828					
	3001 State Rd., Croydon PA 19021		B. State Gen. ID					
	4. Generator's Phone (215) 824-2473  5. Transporter 1 Company Name 6. US EPA ID Number	C. State	Same Trans. ID	e. 1				
	7. Transporter 2 Company Name 8. US EPA ID Number		ž	1-AH 05		26 1101		
	7. Hallsporter 2 Company Number		E. State	sporter's Phone ( 97	<i> </i>	17. 66 180		
	9. Designated Facility Name and Site Address 10. US EPA ID Number 10. US	-	<u> </u>	A-AH		· · · · · · · · · · · · · · · · · · ·		
	7013 Krick Pd.	110	G. State	Facility's ID				
	Bedford, Off 44146 1 041 00019267	12. Conta	STREET, STREET, CO.	ity's Phone ( 170)	14.	4400		
	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) HIM	No.	Туре	Total Quantity	Unit Wt/Vol	Waste No.		
	X (DOO) (Propanol)	006	DM	00300	Ĝ	D001		
GENE	X RQ, Waste Flammable   i guid, n.o. S., 3, UN1993, PGII (DODI) (Xylene Ethyl Acetate)	013	DW	00650	G	F003		
RATO	RQ, Waste Printing inK, 3, UN1210, PGIL X (DOO) (Proganol)	001	DF	00005	G	D001		
H	d				*			
	J. Additional Descriptions for Materials Listed Above	THE RESERVE AND ADDRESS OF THE PROPERTY OF	K. Handli	ng Codes for Wastes Lis	ted Abov	re		
N. S. C.		Ŷ.	a.	c.		4		
Constitution of the Consti	116. YI,ET Also FOOS, DOO1, DO35	. 3	h	d				
ă	15. Special Handling Instructions and Additional Information	rergency	Pho	NC: (800)9	27-	9303		
		ic t	Æ	Disposal	Ro	avired		
		nican	U	عرم درام و احدا	1 16	M., 20.		
	LDRON FILE TSDF HECH63632 OH Permi	11/2 1	10	0604471	-aderes			
ľ	16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are full							
ù	classified, packed, marked and labeled and are in all respects in proper condition for transport by highway actif I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxi practicable and that I have selected the practicable method of treatment, storage, or disposal currently availathe environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste to me and that I can afford.	ccording to applicity of waste ge ble to me which	licable inte enerated to minimizes	rnational and national g the degree I have dete the present and future	overnme irmined t threat to	ent regulations. to be economically human health and		
7	Printed Typed Name Signature SOEL E. SPADE Signature	35	Spa	ok_	MONTH () X	DAY YEAR		
T R A N S P	17. Transporter 1 Acknowledgement of Beceipt of Materials  Printed Typed Name  Signature  Signature		,	·	MONTH	DAY YEAR		
O R T	18. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name  Signature			16	MONTH	DAY YEAR		
E A	19. Discrepancy Indication Space							
F A C	a see a grant of the second of	• • •		<u>-</u> .				
-	20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as no Printed/Typed Name Signature	oted in item 19.			MONTH	DAY YEAR		
Y	YATRICK JONDAN Patr	Q hu	ord	m i	4	16104		
₽A	Form 8700-22 (Rev. 9/88) Previous editions are obsolete					5		



Inspection Id.
Record: 1/1 KOSCS (DBG)



Inspection Date OH/22/65

Time Start 10:15 AM

Time Finish 12:20 PM

# HAZARDOUS WASTE INSPECTION REPORT GENERATOR GENERATOR S Q GENERATOR

Company name CMS. GILBRETH PACKAGING SYSTEMS I.D. Number PAF  Site Address 3001 STATE ROAD CROTOSIN	7								
Site Address SCOT STATE ICOAD CRETESIO									
County Bocks Municipality BRISTOL TWP Zip	19021								
Name of Inspector ALEX PAGE / ANDREW HANEIKS									
Name & Title of Responsible Official DEC SPACE - ENGINEERING & MAINTENANCE MANAGER									
Person Interviewed Nick Cimorecci - Maint Sup. Telephone (215)	526-2473								
Mailing Address (if different from above)									
Amount of Hazardous Waste Generated per Month: Pounds	Kgs								
1. Site Characterization:									
STORAGE: 🗵 Container 🗌 Tanks 🔲 Containment Bldg. 🗌 Drip Pad Other _									
PBR: Neutralization/WWTP Reclaim Other_									
GENERATOR TREATMENT	lg. Drip Pad								
2. Universal Waste:									
Universal Waste Types	;								
3. Hazardous Waste Transporters:									
Transporter Name CLEAN VENTURES, INC. License Number	PA-AH 0299								
Transporter Name License Number									
Transporter Name License Number									
4. Types of hazardous waste generated and destination facility (location & type).	·								
Waste Code Waste Description Destin	ation Facility								
DOI WASTE PRINTING TAK HUKILL CH	ÉMICAL CO								
	rick Ro								
	D OH 44146								
DOOI WASTE FLAMMAGUE LIGATION CYCLE CH	EM JUC.								
	DUSTPIAL DO.								
	PA 17339								

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS

Site Name CMS GELBRETH ID Number PAD981103617 Date 04/22/05							
		1	- No	Violation Observed 2 - Not Applicable 3 - Not Determined	4 - Non Co	mpliance	
ST	ATUS	3			PA CIT.	FED. CIT.	LINE
1	2_	3	4	REQUIREMENT	25 PA Code	40 CFR	NO.
図				Hazardous waste determination performed on all waste streams	262a.10	262.11	H001
凶				Identification Number	262a.10	262.12	H002
区				Authorized transporters only	262a.10	262.12(c)	H003
N				Subsequent notification requirements met	262a.12(b)		H004
区				Proper manifest used	262a.10	262.21	H005
X				Manifests filled out correctly and completely	262a.20		H006
X				Manifests signed and routed properly	262a.23(a)	262.23	H007
区				Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
	团			SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
	K			SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
区				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
<b>X</b>				Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
区				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
区				Specified records retained for three years	262a.10	262.40(c)	H014
X				Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
区				Exception reporting procedures followed	262a.42	262.42	H016
X				Spill reporting procedures followed	262a.10	262.34(d)	H017
凶				PPC plan developed and implemented	262a.10	262.34(a)	H018
図				Special requirements followed for international shipments	262a.10	262.50	H019
凶		一		Source reduction strategy prepared and available (LQG only)	262a.100	262.60	H020
				Excluded waste complies with exclusionary requirements	261a.4	261.4	H021
Ī	П						
	I	厅	Ī				
		+	1 ==				

# HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site	Nam	е <u>С</u>	MS (	ID Number PAD 981103617	Date 04	<i> 22</i>  05	
		1	- No '	Violation Observed 2 - Not Applicable 3 - Not Determined	4 - Non Com	pliance	
STA	TUS	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.
				CONTAINERS (Subchapter I)			
X				Containers managed in compliance with 40 CFR Part 265. Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
				Containers of hazardous waste in good condition	265a.1	265.171	H026
X				Containers and stored waste compatible	265a.1	265.172	H027
				Containers kept closed except during addition or removal of wastes 265a.1 265.173(a)			
区				Containers managed to prevent leaks	265a.1	265.173(b)	H029
×				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
$\boxtimes$				Container storage areas inspected at least weekly	265a.1	265.174	H031
Ø				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
区				Proper containment and collection systems in place	265a.179		H033
区				Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
Ø				Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
区				Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
×				Containers labeled accurately identify contents	SWMA 6018.403(b)		H037

#### INSPECTION REPORT COMMENTS

Date of Inspection OH 20 05	Identification Number PAD 981103617
Company/Facility/Site Name CMS GLIBBETH	
INSPECTION CONDUCTED BY ALEY PAGE	AND ANDREW HANEIKO (DEP TRAINER).
NICK CIMORELLI, MAINTENANCE SUPERNISME, V	UAS THE FACILITY GUIDE. CMS GILBRETH
15 A MANUFACTURER OF PRINTED LABELS	USING THE FLEXOGRAPHIC OR
ROTOGRAVURE PRINTING PROCESS, CMS GILE	BRETH EMPLOYS ABOUT 82 PEOPLE
WHO WORK I SHIFT, SECURITY IS PROVIDED	BY AN ALARM SYSTEM AND FENCED-
YARD WITH GATED ACCESS.	
HAZARDOUS WASTES ARE PRIMARILY W	ASTE PRINTING INKS AND WASTE
FLAMMABLE SOLVENTS, AT THE TIME OF	INSPECTION THERE WERE NO
HAZARDOUS WASTES AT THE HAZARDOU	S WASTE STORAGE AREA. THE
HAZARDOUS WASTE STORAGE AREA IS A	FREE STANDING METAL BUILDING
WITH A GRATED FLOOR, FIRE SUPPRESS	ION SYSTEM, AND SECURED ACCESS.
DURING A WALK THROUGH OF THE PLA	NT, TWO DRUMS OF HAZARDOUS
WASTE AT A SATELITE ACCUMULATION	AREA WERE MISSING BUNGS. NICK
CIMORELLI IMMEDIATLY REPLACED TH	HE BUNGS.
AT A RECORD REVIEW, MANIFESTS WER	E AVAILABLE AND APPEARED
PROPERLY COMPLETED AND ROUTED WIT	HIN TIME LIMITS. THE P.P.C. PLAW
CONTHINED THE REQUIRED ELEMENTS	AND APPEARED TO BE UP TO DATE
This inspection report is notice of the findings of an inspectio	n conducted by a representative of the Department. This

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.


Person interviewed (signature) Tues enumber 1 Date 4-22-05

Page <u>4</u> of <u>5</u>

### **INSPECTION REPORT COMMENTS**

Company/Facility/Site Name <u>C.M.S. Guerrent</u>	Identification Number PAD 981103C17
	- 05 TO 0.114 ( 1150 TO 0.101) 401 T T-
	ES OF TRAINING WERE AVAILABLE FOR
THOSE EMPLOYEES WHO MANAGE H	
A CONTINOUS IMPROVEMENT IN HO	WSEKEEPING AND MAINTENANCE WAS
OBSERVED AT C.M.S. GILBRETH.	
NO VIOLATIONS OBSERVED.	
	<u> </u>

Page <u>5</u> of <u>5</u>



Inspection Id Record: 1/1

KOSC> KDBG>

### RCRAInfo CM&E EVALUATION - VIOLATION FORM

*EPA ID Number PAD981103617	EIN	SEP 2 9 2006							
Handler Name CMS Gilbreth Pac	Handler Name CMS Gilbreth Packaging Systems								
Street 3001 State Road									
<b>City</b> Croydon	State PA	Zip Code 1	9021						
Actual Generator Status  Check only if different from Notified Status.  LQG ☑ SQG ☐ CESQG ☐ Closed ☐ Non-Handler ☐									
Universe Change Required? (Generator Status Change Required)  YES	NO If YES, complete the Univ	verse Change Section	on (on reverse side of this form).						
	If YES, complete the Handler Secti	ion (on reverse side	of this form).						
Other Facility Information Changes? YES			reverse side of this form).						
*EVALUATION ⊠ Add ☐ Upda		ou must provide nown as the Sequ	an Evaluation Identifier (also uence Number).						
*Evaluation *Type *Evaluation Sta ldentifier(mm/dd/yy	"Adency	Responsible Person	Suborganization						
00 CEI 07/14/200	06 S	<b>EX</b> EJW	WM						
Day Zer You need to specify Day Zero for all evaluation types exc SNY, and SNN, otherwise it defaults to Evaluation Start D CSE, FUI, and SNY evaluations, you must select a previous for the Day Zero. SNN evaluation type does not require a	Pate. For CDI, 07/14/2006 pus CEI Start Date	Reclassified Only applicable evaluation type a appropriate.	for SNY						
Notes:									
	ion Indicator Field (Check all that edia Inspection    Samp		Not Subtitle C						
Focused Covera	age Areas (Use Only for Evaluati	on-Type FCI)							
BIF CCI CFI	Regulation-Specific FCI  INC ☐ LDR ☐ PTB	□ PTX □							
THI 🗆 , UIC 🗀 UOI 🗗	UWR OTHER (specify	/):							
CAR CPE DOS	Routine/Standardized FCI  EMR □ IEI □ ISI	RTI↓ [	٦						
OAN LI GOO LI BOO LI									
Does this Evaluation Add/Update/Delete a V	iolation? YES(\(\times\) NO \(\simes\)	of this form.	Violations Section(s) on page 2						
Does this Evaluation link to a Commitment?	YES NO 🛛	Information Req	se the RCRAInfo 3007 quests and Commitments Form.						
Does this Evaluation link to a 3007 Request	? YES □ NO ☒		se the RCRAInfo 3007 puests and Commitments Form.						
OUTSTANDING VIOLATIONS COVERED BY	ABOVE EVALUATION? YES	5 NO X If Y	es, fill in information below.						
*Seq. No. *Violation Type *Agency	*Regulation Citation (Type + Citation) (ex. FR 262.1)		*Date Determined (mm/dd/yyyy)						
-0001 - FR S	FR 262:34(a)(3)	<del></del>	07/14/2006						
			,						

February 2006

RCRAINFO CM&E ADDITIONAL VIOLATIONS FORM  (Attach to RCRAInfo CM&E Evaluation – Violation Form, if appropriate)							
EPA ID Number Handler Name							
PAD981103617 CMS GILD	reth Packaging Systems						
VIOLATION Add Update Delete	Link to Above Evaluation						
Seq. No Violation Agency Determined Date (mm/dd/yyyy)    J6J.C   S   7//H/06	Return to Compliance (RTC) Qualifier  A RTC Qualifier is required if entering an Actual RTC Date.  Actual RTC Date (mm/dd/yyyy)						
LINK CITATIONS TO ABOVE VIOLATION?  YES	NO If Yes, fill in information below						
Citation Citation	Citation Citation						
FR 262.3H(a)(3)							
VIOLATION Add Update Delete	Link to Above Evaluation						
Seq. No Violation Agency Determined Date (mm/dd/yyyy)  Notes:	Return to Compliance (RTC) Qualifier  A RTC Qualifier is required if entering an Actual RTC Date.  Actual RTC Date (mm/dd/yy/y)						
LINK CITATIONS TO ABOVE VIOLATION? YES	NO If Yes, fill in information below						
Citation Citation	Citation Citation						
VIOLATION Add Update Delete	Link to Above Evaluation						
Seq. No Violation Agency Determined Date (mm/dd/yyyy)  Notes:	Return to Compliance (RTC) Qualifier  A RTC Qualifier is required if entering an Actual RTC Date.  Actual RTC Date (mm/dd/yyyy)						
LINK CITATIONS TO ABOVE VIOLATION? YES	NO If Yes, fill in information below						
Citation Type Citation	Citation Citation						

#### BUREAU OF WASTE MANAGEMENT

Time Start 10:15 AM

Time Finish 11: 20 AM

# HAZARDOUS WASTE INSPECTION REPORT ☐ S Q GENERATOR

Со	mpany nameCM	5. Gilbreth Packaging System.	
ΕP	A I.D. Number PAt	1981103617 Employer I.D. Numb	er (EIN)
	e Address 3001		, ,
	•	Municipality Bristol Two.	Zip (902)
Na	me of Inspector Enc	Wiediger, Alex Page	
Na	me & Title of Responsib	le Official Joel Spade - Engineerin	y 1 Safety Monager
Pe	rson Interviewed Nick	Cimorelli - maint supervisor Te	elephone ( ZIS ) 826-2473
	illing Address (if differen	•	
		te Generated per Month: 6000 Pou	inds Kgs
	Site Characterization:		
	STORAGE: Con	tainer 🔲 Tanks 🔲 Containment Bldg. 🔲 Drip	Pad Other
		tralization/WWTP	Other
	GENERATOR TREAT	MENT Containers Tanks C	Containment Bldg.
2.		Large Quantity Handler	
	Universal Waste T	ypes	·
3.	Hazardous Waste Tra		
	Transporter Name	Maunee Express, Inc. Li	cense Number <u>NJD 98 660 7 28</u>
			cense Number
			cense Number
4.		vaste generated and destination facility (locatio	n & type).
	Waste Code	Waste Description	Destination Facility
	Deo1	waste printing ink	Hubill Chemical Co.
	600\$3	waste flammable liquids	7013 Krich Rd
		<b>\</b>	Restore, OH 44146

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS

Site Name C.M.S. Gilbreth Packaging ID Number PAR 98/10/36/7 Date 7-14-06

1 - No Violation Observed 2 - Not Applicable 3 - Not Determined 4 - Non Compliance

STATUS

	STATUS 1 2 3 4 REQUIREMENT		REQUIREMENT	PA CIT. 25 PA Code	FED. CIT. 40 CFR	LINE NO.	
X				Hazardous waste determination performed on all waste streams	262a.10	262.11	H001
X				Identification Number	262a.10	262.12	H002
K	·			Authorized transporters only	262a.10	262.12(c)	H003
X			Subsequent notification requirements met 262a.12(b)			H004	
X				Proper manifest used	262a.10	262.21	H005
X				Manifests filled out correctly and completely	262a.20		H006
X			-	Manifests signed and routed properly	262a.23(a)	262.23	H007
X	7		_	Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
$\dashv$	X			SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
	χ		-	SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
Ĺ				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
X				Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
X				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
X			_	Specified records retained for three years	262a.10	262.40(c)	H014
X				Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
X		.,.		Exception reporting procedures followed	262a.42	262.42	H016
X			-	Spill reporting procedures followed	262a.10	262.34(d)	H017
X				PPC plan developed and implemented	262a.10	262.34(a)	H018
X				Special requirements followed for international shipments	262a.10	262.50 262.60	H019
X				Source reduction strategy prepared and available (LQG only)	262a.100		H020
X				Excluded waste complies with exclusionary requirements	261a.4	261.4	H021
7					·		
				L	L	L	

# HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name C.M.S. Gilboth Package	ງແລ ID Number	PAD981103617	Date 1-14-06
1 - No Violation Observed	2 - Not Applicable	3 - Not Determined	4 - Non Compliance

**STATUS** 

	2 3 4 REQUIREMENT		PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.		
•	_	1	4	CONTAINERS (Subchapter I)	25 FA Code	40 CFR	NO.
Ĺ				Containers managed in compliance with 40 CFR Part 265 Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
X				Containers of hazardous waste in good condition	265a.1	265.171	H026
X				Containers and stored waste compatible	265a.1	265.172	H027
X.				Containers kept closed except during addition or removal of wastes	265a.1	265.173(a)	H028
X				Containers managed to prevent leaks	265a.1	265.173(b)	H029
X				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
X				Container storage areas inspected at least weekly	265a.1	265.174	H031
X,				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
X				Proper containment and collection systems in place	265a.179		H033
X				Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
X				Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
			X	Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
X				Containers labeled accurately identify contents	SWMA 6018.403(b) (2)		H037



## BUREAU OF WASTE MANAGEMENT

### **INSPECTION REPORT COMMENTS**

Date of Inspection 7-14	.06	Identification Numbe	r	
Company/Facility/Site Name	C.M.S. Gilbreth	Packaging S	ystens	
Comments: A routine inspection	was conducted	by EncWied	ger and Alex P	acyl,
will Jason Oseredzi		-		
Maintenance Supervisor	, and Joel Spade,	Engineering/Safet	Monager, were	.the
fortility quilles.			· <del>-</del>	
CMS Gilbreth em	plays about	80 workers	on a one-shift	
schedule. Security is				yard
with gates. On the	_			
non-production day			,	
completed in a se				·
The hazardous w		_	free-standing	netal
building with a gra			. —	
No wask was obs				
inspection.				
3	as reduced its	hazardeus was	te significantl	your the
past year, it has			-	,
been installed for				
	through Cryst			·
	, <u>, , , , , , , , , , , , , , , , , , </u>			
This inspection report is notice of the finding observed during the inspection. Additional no review of laboratory analyses or Department r	itification of violations may be issued			
This report does not constitute an order or oth action for any violation noted herein.	er appealable action of the Departm	ent. Nothing contained herein sha	all be deemed to grant or imply im	munity from legal
Signature by the persons interviewed does n report or that a copy was left with the person.	ot necessarily imply concurrence wi	th the findings on this report, but	does acknowledge that the perso	n was shown the
Person Interviewed	(Signature	)	Date	
Inspector , Since	Signature (Signature	)	Date	7.06
White - Vendor	☐ Yellow -	Regional Office	☐ Pink -	Inspector

Printed on Recycled Paper



# DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF WASTE MANAGEMENT

### **INSPECTION REPORT COMMENTS**

Date of Inspection 7-14-06 Identification Number
Company/Facility/Site Name CMS. Gilbreth Packaging Systems
Comments:
The ink storage room, satellite westerstorage, Fee-mo" processing
press room were all inspected. One of the satellite storage wear
contained three(3) drums of waste that were not labelled. This is in
violation of the 25PA Code 262a, 10 of the Soild was to Management
Act. It is advised that this violation be corrected immediately
At a record review the manifests were enganized and
appeared property completed. A copy of the 7-5-06 manifest is included
in this report. The PPC plan was available and appeared
satisfactory. Training records were also maintained property.
I violation observed.
This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violation observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result review of laboratory analyses or Department records.
This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legaction for any violation noted herein.  Signature by the persons interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.
Person Interviewed (Signature) Date 07/14/20
Inspector Crawoling Date 7-14-06 (Signature)
] White - Vendor ☐ Yellow - Regional Office ☐ Pink - Inspector
Printed on Recycled Paper

4	UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator's US EPA ID No.	Doc	anifest ument No.	2. Page of	not red		ederai i	ld red border is aw but may be
	3. Generator's Name and Mailing Address	Spade	A. State Manifest Document Number PAH 031861						
	3001 Stute Pd. Clay	dol /A 19021		\$	B. State			of china to	/ W also
	4. Generator's Phone ( 1 )	4.11.3	. US EPA ID Number		C. State	SAM Trans. ID	Same		
	Maumer Express	Inc I NOD 9	8660738	0			042		
	7. Transporter 2 Company Name 1		I. US EPA ID Number			Trans. ID	(26)	1) 5	90-0043
	9. Designated Facility Name and Site Address	1	0. US EPA ID Number		. PA	A-AH_			
	HULGH Chemical Co.	<b>2</b>				porter's Phone Facility's ID	(	)	
	Bedford OH 44146	140-64	D001926	74D 12. Conta		ty's Phone (	140	14.	9400
	11. US DOT Description (Including Proper Shipping			No.	Туре	13. Total Quanti		Unit Wt/Vol	Waste No.
	a. RQ. Waste Printing	ink 13, UN1210,	P6IL	4					
	X (DOO) (Propar	101)		00,5	DM	002	75	G	F/001
G	· RQ, waste flamm	able liquids, n.D.	s.,3,,	016		~ ~ C	ing grown		15 - S
N E R	UNI993 PETE (DOO)	) (Xylene, Ethyl A	cei de )	1 63	DM	0 08	har j	G	+003
A				,					
R									
	J. Additional Descriptions for Materials Listed Abov	е			K. Handli	ng Codes for W	astes Liste	ed Abov	e
	Ma. HI				a		6		
	116. LIT, E,T Als	· F005, DOOL T	0035		h		4		
	15. Special Handling Instructions and Additional Int	ormation	EA	nd alaci	Pho	m. 300	- 1421	4. 1	1300
	Ha. Approved No. 946	decay by		1 mg					
	Tip Hologan in . Lie	in the state of th							
	LORANFILE @ TSI	` ```	Confici	t di	li cho	en R	Walnt.	0	
	16. GENERATOR'S CERTIFICATION:	I hereby declare that the contents of	his consignment are fully	and accurate	v describe	d above by pro	per shippi	ng nam	e and are
	classified, packed, marked and labeled and a If I am a large quantity generator, I certify practicable and that I have selected the practi- the environment; OR, if I am a small quantity	that I have a program in place to red cable method of treatment, storage, or	uce the volume and toxion disposal currently available and toxion disposal currently available a	city of waste g ble to me which	enerated to n minimize:	o the degree I I s the present a	nave deter nd future t	mined t hreat to	o be economically human health and
	to me and that I can afford.  Printed/Typed Name	generator, i nave made a good iatin et	Signature/	e generation at	id select til	e best waste in		10NTIS	DAY YEAR
V	42 T	<u> </u>		<u> </u>	- i.j.	adayan - Jangar Bar		V	25/16
HAN	Printed/Jyped Name	lesio	Signature	din .		ļ	۸ .	IONTH	DAY YEAR
S P C F T E	18. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name	hoff Eff.	Signature	Charling &	<u> </u>			MONTH	DAY YEAR
E									
FA									
c									
1	20. Facility Owner or Operator: Certification of receiptinted/Typed Name	ipt of hazardous materials covered by t	his manifest except as no Signature	ted in item 19.				MONTH	DAY YEAR
Y	1								
- C	A Form 9700 22 /Poy. 0/99) Dentitions and charlets							1	4.4 4

*EPAID Number	
LI AID NOTIFIED TAD TOTAL	
Handler Name CMS GILBRETH PACKAGING SYSTEMS, INC.	
Street 3001 STATE ROAD	
City CROYDON State PA Zip Code 19021	
Actual Generator Status  Check only if different from Notified Status.  LQG SQG CESQG Closed Non-Hand	dler 🗌
Universe Change Required?  YES NO If YES, complete the Universe Change Section (on reverse side of this formation of the Complete the Universe Change Section (on reverse side of this formation).	orm).
RCRA Non-Notifier?  YES NO If YES, complete the Handler Section (on reverse side of this form).	
Other Facility Information Changes? YES NO If YES, complete the Handler Section (on reverse side of this form).	
*EVALUATION Add Update Delete You must provide an Evaluation Identifie known as the Sequence Number).	er (also
*Evaluation *Type	ation
CE1 3/27/2007 S PAAJP WM	
You need to specify Day Zero for all evaluation types except CDI, CSE, FUI, SNY, and SNN, otherwise it defaults to Evaluation Start Date. For CDI, CSE, FUI, and SNY evaluations, you must select a previous CEI Start Date for the Day Zero.  Notes: NO VIOLATIONS  Reclassified SV Date: Only applicable for SNY evaluation type as appropriate.	
	<del></del>
Evaluation Indicator Field (Check all that apply)	
☐ Citizen Complaint ☐ Multimedia Inspection ☐ Sampling ☐ Not Subtitle C	·
Focused Coverage Areas (Use Only for Evaluation Type FCI)  Regulation-Specific FCI	
BIF	
Routine/Standardized FCI  CAR CPC DOS EMR IEI ISI RTI	
	nago 2
Does this Evaluation Add/Update/Delete a Violation? YES NO M If Yes, fill in the Violations Section(s) or of this form.	paye z
Does this Evaluation link to a Commitment?  YES  NO  If Yes, please use the RCRAInfo 3007 Information Requests and Commitment	s Form.
Does this Evaluation link to a 3007 Request?  YES NO Mif Yes, please use the RCRAinfo 3007 Information Requests and Commitment	
	below.
OUTSTANDING VIOLATIONS COVERED BY ABOVE EVALUATION? YES NO NO If Yes, fill in information	
*Regulation Citation *Date Determi  *Seq. No. *Violation Type *Agency (Type + Citation) (mm/dd/yyy	ned
*Regulation Citation *Date Determi	ned
*Regulation Citation *Date Determi  *Seq. No. *Violation Type *Agency (Type + Citation) (mm/dd/yyy	ned
*Regulation Citation *Date Determi  *Seq. No. *Violation Type *Agency (Type + Citation) (mm/dd/yyy	ned
*Regulation Citation *Date Determi  *Seq. No. *Violation Type *Agency (Type + Citation) (mm/dd/yyy	ned

<sup>\*</sup>Required Fields



Inspection Date 3/21/2007
Time Start 10:15 AM

Time Finish 11: 45 Am

# HAZARDOUS WASTE INSPECTION REPORT GENERATOR GENERATOR GENERATOR

·Co	mpany name <u>C M·S</u>	GILBRETH PACKAGING SYSID	Number <u>PAO 98110361</u>
Site	e Address 3001	STATE ROAD	
Со	unty BUCKS	Municipality BRISTOL TW	P. Zip 19021
Na	me of Inspector A	EX PAGE	
Na	me & Title of Responsib	le Official JOEL SPADE - ENGI	2. + MAINTENANCE MG
		EL SPADE Te	
		from above) SAME	
Am	ount of Hazardous Was	te Generated per Month:Pou	ndsKgs
1.	Site Characterization:		
	STORAGE: Con	tainer 🗌 Tanks 🔲 Containment Bldg. 🔲 Drip	Pad Other
		tralization/WWTP	Other
	GENERATOR TREAT	MENT Containers Tanks C	
2.	Universal Waste:	Large Quantity Handler Small Quantity Ha	andler
	Universal Waste T	ypes	
3.	Hazardous Waste Tra	•	
	Transporter Name	MAUMEE EXPRESS, INC. Lie	cense Number PA-AHO420
		•	cense Number
			cense Number
4.	Types of hazardous v	vaste generated and destination facility (locatio	n & type).
	Waste Code	Waste Description	Destination Facility 6
	000 1, Foo5	WASTE FLAMMABLE LIQUIDS	HUKILL CHEMICALCO.
		WASTE PRINTING INK	7013 KRICK RD.
			BEDFORD OH 44146
	·		
	,		,
			· · · · · · · · · · · · · · · · · · ·
		<u> </u>	

### HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS

Site Name	CHS	GILBRETH	· . · /	ID Number	PAD 981103617	Date 3/2	7/2007	
	1 - No Vi	olation Observed	2 - Not A	pplicable	3 - Not Determined	4 - Non Compl	iance	

ST	ATUS	3					
1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED. CIT. 40 CFR	NO.
X				Hazardous waste determination performed on all waste streams	262a.10	262.11	«H001
X				Identification Number	262a.10	262.12	H002
X				Authorized transporters only	262a.10	262.12(c)	H003
$\boxtimes$				Subsequent notification requirements met	262a.12(b)		H004
X				Proper manifest used	262a.10	262.21	H005
X				. Manifests filled out correctly and completely	262a.20		H006
X				Manifests signed and routed properly	262a.23(a)	262.23	H007
X				Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
	X			SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
	X			SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
X				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
X				Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
X				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
X				Specified records retained for three years	262a.10	262.40(c)	H014
X				Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
X				Exception reporting procedures followed	262a.42	262.42	H016
X				Spill reporting procedures followed	262a.10	262.34(d)	H017
X				PPC plan developed and implemented	262a.10	262.34(a)	H018
X				Special requirements followed for international shipments	262a.10	262.50 262.60	H019
X	П	$\Box$	T	Source reduction strategy prepared and available (LQG only)	262a.100		H020
X		ī	一	Excluded waste complies with exclusionary requirements	261a.4	261.4	H021
	П	n					
	П	Ī					
	I	H	1				
		「一					,
		In	1				

# HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site	Nam	ne <u></u>	21	GILBRETH ID Number PAD 98110361	7 Date 3	127/2007	
		1	- No	Violation Observed 2 - Not Applicable 3 - Not Determined	4 - Non Com	pliance	
STA	TUS 2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.
				CONTAINERS (Subchapter I)			-
×				Containers managed in compliance with 40 CFR Part 265 Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
X				Containers of hazardous waste in good condition	265a.1	265.171	H026
X				Containers and stored waste compatible	265a.1	265.172	H027
X				Containers kept closed except during addition or removal of wastes	265a.1	265.173(a)	H028
X				Containers managed to prevent leaks	265a.1	265.173(b)	H029
X				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
X				Container storage areas inspected at least weekly	265a.1	265.174	H031
X				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
X				Proper containment and collection systems in place	265a.179		H033
X				Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
X				Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
X				Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
X				Containers labeled accurately identify contents	SWMA 6018.403(b)		H037

#### INSPECTION REPORT COMMENTS

Date of Inspection $\frac{3}{27/2007}$ Identification Number PAD 981103617
Company/Facility/Site Name CM5 GILBRETH PACKAGING SYSTEMS, INC.
INSPECTION CONDUCTED BY ALEX PAGE. JOEL SPADE,
ENGINEERING + MAINTENANCE MANAGER, WAS THE FACILITY
GUIDE. CMS GILBRETH PACKAGING SYSTEMS IS A
MANUFACTURER OF LABELS USING THE FLEXOGRAPHIC
OR ROTOGRAVURE PRINTING PROCESS. CMS
GILBRETH EMPLOYS 82 PEOPLE WHO WORK ONE
SHIFT. SECURITY IS PROVIDED BY PERIMETER
FENCING WITH GATED ACCESS AND AN ALARM
SYSTEM.
AT THE HAZARDOUS WASTE STORAGE AREA, DRUMS
OF HAZARDOUS WASTE ARE STORED IN A FREE
STANDING METAL BUILDING WITH GRATED FLOOR
AND FIRE SUPPRESSION SYSTEM. DRUMS OF
HAZARDOUS WASTE WERE LABELED AND HAD
ACCUMULATION START DATES LESS THAN 90 DAYS.
AT A RECORD REVIEW, MANIFEST WERE
AVAILABLE AND APPEARED PROPERLY COMPLETED AND

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature)

Inspector (signature)

Date 03/27/07

Page <u>4</u> of <u>6</u>

### **INSPECTION REPORT COMMENTS**

Date of Inspection 3/27/2007 Identification Number PAD 981103617
Company/Facility/Site Name CMS GILBRETH PACKAGING SYSTEMS, IN
ROUTED WITHIN TIME LIMITS. A COPY OF
A TYPICAL MANIFEST IS INCLUDED WITH THIS
REPORT.
WEEKLY INSPECTION LOGS, TRAINING RECORDS
AND PPC PLAN WERE AVAILABLE AND UP
TO DATE.
NO VIOLATIONS OBSERVED
· · · · · · · · · · · · · · · · · · ·
This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.  This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.  Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.
Person interviewed (signature) Jely Pade Date 03/21/07
Inspector (signature)
Page <u>5</u> of <u>6</u>

ГК	ase	ринк от туре. (грин иевід	rieu ior use on eine (12-pitch) ty	pewriter.)	Particular and Control of the Contro	· 9.					n Approved	I. OMB N	0. 2050
1		NIFORM HAZARDOUS WASTE MANIFEST	1. Generator ID Number PAD981103 &	17	2. Page 1 of		ergency Respons	9300		124	651	3	FL
	C Ge	nerator's Phone: 🎉 🕏	Packlaging Syste 4021 826-2473	ems Jn. ToelSpace	de	Genera	tor's Site Address		han mailing addres				11.5.5
3.3	3	Transporter 1 Company Nam Transporter 2 Company Nam	Express Inc.	<del></del>	·	: · · · · · · · · · · · · · · · · · · ·			U.S. EPA ID N		660	73:	80
		Positionated Edulity Name on	d Cito Address	and the second property of the second property of		14 - A	eren ig gregorien.	<u></u>	LIG EDITO				
	1	Designated Facility Name and U.C. (1) 013 KG (1)	d 60.			,			u.s. epa id i	lumber			
	Fa	edford Officility's Phone:	40-232-9401	2	· .				OHE	00	1926	74	)
	9a. HN		on (including Proper Shipping Name, ny))	Hazard Class, ID Number	er,		10. Conta	ners Type	11. Total Quantity	12. Unit Wt./Vol.	13,	Waste Co	des
GENERATOR -	X		e Flammable liq	)	1 1 2		An 7	Ni	OOHD	6	) JOOJ	Dozs	Fac
FRA		1111993,16	I (DUD) (Xylen	c, englise	tue)		002	DM	DUILU		FOOT	y and	
GEN	×		Printing ink, 3	UN 1210	POIL		001	DM	00055	6	Dool		
	H	(D001) (	(IDPARIOL)	· ·	<del> </del>	·		-	7			- 1	
			··· · · · · · · · · · · · · · · · · ·					(F)	·	٠.	,		
					· .					l			
		4.	*	-									
	ľ												
	14.	Special Handling Instructions	s and Additional Information		·	10/	l on file		CDE			<u></u>	+
$\mathbb{H}$	8	. App Gral =	\$ 9464; ERG #1	28		•				٠.	. •	,	
$\ $	1	Annival #	9463 100井	80129	0	16	inte of	Disa	usal Re	auto	d	1 - 1,	
	<b>—</b>	**	R'S CERTIFICATION: I hereby deci					4		<u>v</u>		ssified, pad	kaged,
$\parallel$			ded, and are in all respects in proper ontents of this consignment conform					ional governr	nental regulations.	If export sh	ipment and I	am the Pri	mary
		I certify that the waste minir	mization statement identified in 40 C					all quantity ge	enerator) is true.		· · · · · ·		
		nerator's Offeror's Printed/Typ	SPADE	*	Sign	nature (	fact	7	Spece	le :	Mor	ith Da /  08	) 107
INTI	ı	International Shipments Insporter signature (for export	Import to U.S.	. " ' [	Export from L	l.S.	Port of en Date leavi	•	3				
	_	Transporter Acknowledgment					Date leavi	ng 0.5	· · · · · · · · · · · · · · · · · · ·				
RIT	Trar	nsporter 1 Printed/Typed Nam	e EV 100		Sign	ature	2				Mor	ith Da	y Yea
SP	Tran	nsporter 2 Printed/Typed Nam	OCHAB.		Sign	ature		· · · · · · · · · · · · · · · · · · ·	<del></del>	<del>,</del>	Mor	1 OC	D/
TR ANSPORTER	1161	isporter 2 ( timear types than	o .			old, C		٠.			1	1	1
<del>F</del>	18.	Discrepancy			<del></del>	<del></del>					<u>- 4</u>		
	18a	. Discrepancy Indication Space	ce Quantity	Туре		. [.	Residue		Partial Reje	ection	].	Full Re	ejection
	L			<u> </u>		M	anifest Reference	Number:		<u> </u>	<u> </u>		
	18b	Alternate Facility (or Genera	itor)						U.S. EPA ID N	umber			
FACILIT	Fac	ility's Phone:				A .	,		1				80 Å
屉		Signature of Alternate Facilit	y (or Generator)						. الجهرر	,	Мо	50 h &	ay Yea
NA			· · · · · · · · · · · · · · · · · · ·			2 . X	garanta da	· · · · · · · · · · · · · · · · · · ·	and the second	A 174 W	Section Section		
DESIGNATED	19:	1	nagement Method Codes (i.e., code		. 12	and rec	ycling systems)	<del></del>	14.	· · · · · ·		- 4	-:
		H 06		1106									· ·
$\  \ $	_	Designated Facility Owner or	Operator: Certification of receipt of	hazardous materials cove		st excer	ot as noted in Item	1 18a	<u> </u>	n	Mor	nth Da	y Year
		1900 b	11 asoli	,	oign		and	15	Varge	les	NIOI	l Da	707
EP/	For	m 8700-22 (Rev. 3-05) Pr	revious editions are obsolete.						PESI	GNATED	FACILITY	TO GE	NERATO
200					: .				-			6	SEC

nspection Id	Insp Type CEI	Inspections Compliance Evaluation	n 🛂 Date Ins	spected 03/27/2007
Inspected Entity	DA DOCA 4000	AT AND OF DESTRE	Progra CKAGING SYS Speci	am 10.0001483647
Cat PF v Entity 3187	PAD9811036	OT CMS GILBRETH PA		
Type CAHV	e arresse i con all'il caraci a arressa del come es e con il 1900.	AST to the second secon	Status ACTIV	Active
More SF   SF 10021	1 PAD9811036	617 CMS GILBRETH PA	CKAGING SYS 🛂	Type HGCAP
SF Status		<u> </u>	Launch Ir	spection Report
N. TONG ENGINEERING PROPERTY CONTINUES OF A SECTION AS A	aprincipal and a language population and the respective and above an analysis and a second	Comp Asst Cover Area	1 Name and the second control of the second	The state of the s
Owner/Operator  86643 Complaint ld	23-1604497 Inspector 446831	CMS GILBRETH PKG S	YS INC	<u>\$</u>   More □
h Maria de la processión de la constante de la	23-1604497	CMS GILBRETH PKG S	reseate adoministrations.	CONTRACTOR OF THE SALES OF THE SALES
Complaint Id	23-1604497   Inspector   446831	CMS GILBRETH PKG S PAGE, ALEX f NOVIO No Violation	s Noted	<u>§</u> More □
Complaint ld Due Date	23-1604497 Inspector 446831 Inspection Result	CMS GILBRETH PKG S  PAGE, ALEX  f NOVIO No Violation	s Noted	<u>₹</u>   More   □   <u>₹</u>     <u>₹</u>
Complaint ld  Due Date  Date Scheduled	23-1604497 Inspector 446831 Inspection Result	CMS GILBRETH PKG S  PAGE, ALEX  INOVIO No Violation  ental Protect Lack Joint In	s Noted	<u>₹</u>   More   □   <u>₹</u>     <u>₹</u>